

Car Engine Industrial Cleaning Machine for Car Parts , Truck Parts

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE
- Model Number: JTS-1144
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 1000/month



Product Specification

- Material: Stainless Steel SUS304/316L
- Use: Cleaning , Degreasing
- Application: To Clean Oil, Carbon, Rust, sludge
- Optional: Oil Filter System
- Special: Multi Tank
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Power: 3000W
- Function: Cleaning Rinsing
- Highlight: **automotive ultrasonic cleaner, ultrasonic washing machine**



More Images



Product Description

Car Engine Industrial Cleaning Machine for Car Parts , Truck Parts

The machine is customized and certified with CE.

If need, rising tank or drying tank is optional based on customer's needs.

Applications:

Sky men Dual frequency ultrasonic cleaner can be use for car parts washing, engine block degrease, radiator clean, also can clean electronic parts. No damage to object surface and improve cleaning efficiency.

Specifications:

Model	JTS-1060
Tank's working dimension (mm)	700*650*650(L*W*H)
Overall dimension (mm)	900*850*1000(L*W*H)
Tank's total capacity	300L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment (20+ microns)
Housing's material	Stainless steel
Ultrasonic frequency	28kHz / 40kHz
Ultrasonic transducer	60pcs
Ultrasonic output power (MAX.)	3000W
Electronic generator	KG3000
Heater's (hot plate) power	9KW

Product Description

Product Description		JTS-1012	JTS-1018	JTS-1024	JTS-1030	JTS-1036	JTS-1072
Model: Skymen™							
TANK'S WORKING DIMENSION (mm)	L1	355	406	500	500	500	1110
	W1	305	305	355	406	460	600
	H1	355	460	500	500	550	600
OVERALL DIMENSION (mm)	L2	535	586	680	710	710	1320
	W2	485	485	535	586	640	780
	H2	750	680	720	720	770	820
TANK'S TOTAL CAPACITY		38L	56L	88L	101L	126L	369L
TANK'S MATERIAL		SUS304 / SUS316L					
IN-TANK SURFACE FINISHING		Hard-Cr Plating Treatment (20+ microns)					
HOUSING'S MATERIAL		Stainless steel					
ULTRASONIC FREQUENCY*		28kHz / 40kHz					
ULTRASONIC TRANSDUCER		12	18	24	30	36	72
ULTRASONIC OUTPUT POWER (MAX.)		600W	900W	1200W	1500W	1800W	3600W
ELECTRONIC GENERATOR		KG600	KG900	KG1200	KG1500	KG1800	KG3600
		Build-in	Separate				
HEATER'S (HOT PLATE) POWER		1.5kW		3kW		4.5kW	9KW

Competitive Advantage:

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.

PCB Board: manufactured by Sky men factory, more stable

Description:

Adjustable ultrasonic power

Original BLT type transducer

SUS304/316L tank

Adaptable for continuous operation

Adjustable thermo controller

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Sweep mode control available

Digital timer control

Boost mode& oil skimmer upon client's requirement

Pressure pump and filter system

With pneumatic lift to up and down goods.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen